

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		"978966***.\$cid.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/23 12:07
		S24 and "709.cIAs."	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/23 09:26
L6	110	compar\$4 near3 (forward\$3 or send\$3) near3 (IP near2 address)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/02 12:27
L7	61	!6 and (@ad<"20020807" or @rlad<"20020807")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/02 12:27
L8	35	!7 and "709"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/02 12:27
L9	4	!7 and "709"/238.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/02 12:27
L10	0	!7 and "709"/239.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/02 12:27
L11	1	!7 and "709"/218.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/02 12:27
L12	3	!7 and "709"/223.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/02 12:28

L13	4	I7 and "709"/224.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/02 12:28
L14	3	I7 and "709"/226.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/02 12:28
L15	6	I7 and "709"/227.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/02 12:28
L16	1	I7 and compress\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/02 12:28
L17	0	"20030326191"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/02 12:29
L18	0	"200300326191"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/02 12:29
L19	4	"2002093465"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/02 12:30
S1	6148	rouT\$ near (data adj packet)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/20 09:46
S2	35294	extract\$ and compres\$ and compar\$ and rout\$ and adjust \$	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/23 13:31
S3	13083	data and packet and address and destination and identifier and algorithm	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/20 10:02
S4	1790	S2 and S3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/20 09:42

S5	87	S1 and S4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/20 09:42
S6	1085	rouT\$ near (data adj packet). ab.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/20 09:46
S7	85	rouT\$ near (data adj packet). ab. and "709".clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/23 13:38
S8	2	"5842224".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/23 09:09
S9	853	extract\$ and compres\$ and compar\$ and rouT\$ and adjust \$ and "709".clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/20 10:02
S10	2977	data and packet and address and destination and identifier and algorithm and "709".clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/20 10:02
S11	0	S6 and S9 and S10	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/20 10:03
S12	320	S9 and S10	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/20 10:03
S13	0	S6 and S12	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/20 10:03
S14	0	S7 and S12	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/20 10:04
S15	24	S1 and S12	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/23 09:25

S16	0	S5 and S7	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/20 10:21
S17	1	"0978966".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/23 09:10
S18	0	"0978966"\$.did.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/23 12:07
S19	0	ep-0978966-\$did.pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/23 09:11
S20	0	ep-0978966-\$did.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/23 09:12
S21	0	ep-0978966-\$did.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/23 09:14
S22	2	ep-978966\$.did.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/23 09:14
S23	17981	Data adj compress\$.ab.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/23 12:11
S24	2572	Data adj rout\$.ab.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/23 09:26
S25	16	S23 and S24	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/23 09:26
S26	135	S23 and "709".clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/23 09:26

S27	7	(Data adj compression) near (rout\$ adj data).ab.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/23 13:30
S28	0	(Data adj compression) near (rout\$ adj data).ti.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/23 13:30
S29	6114	(Data adj compression).ti.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/23 13:30
S30	115	extract\$ and compres\$ and compar\$ and rout\$ and adjust \$.ti.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/23 13:31
S31	6151	rout\$ near (data adj packet)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/23 13:32
S32	5	S29 and S31	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/23 13:32
S33	85	rout\$ near (data adj packet). ab. and "709".clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/23 13:38
S34	10	S33 and compress\$	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/23 13:45
S35	2	"5920566".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/23 13:46
S36	2	"6278709".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/23 15:06
S37	0	wo-02076042-\$did.pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/23 13:49

S38	0	wo-02076042-\$.did.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/23 13:49
S39	0	wo-02076042-\$.did	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/23 13:49
S40	1	wo-2076042-\$.did.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/23 13:49
S41	2	"5842224".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/08/02 14:01
S42	3	"6094431".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/08/02 14:28
S43	2	"6026198".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/08/02 14:28
S44	2	"5842224".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/24 11:41
S45	4	(compar\$3 near3 (compress \$3 adj rout\$3))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/24 15:21
S46	4	(compar\$3 near3 (compress \$3 and table and rout\$3))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/24 16:53
S47	6831	compress\$3 and compar\$3 and rout\$3 and table and data and packet and address and destination	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/24 16:55
S48	4212	S47 and switch\$3 and identif \$4 and match	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/24 16:57

S49	1657	S47 and switch\$3 and identif \$4 and match and symbol and forward\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/24 16:58
S50	16	S49 and 709/238.cds.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/24 16:58
S51	1	S49 and 709/239.cds.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/24 16:58
S52	6	S49 and 709/218.cds.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/24 16:58
S53	6	S49 and 711/202.cds.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/24 16:58
S54	2	"5842224".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/23 17:44
S55	2	"6499054".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/29 10:53
S56	8667	IPv6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/29 11:27
S57	1031	S56 and (rout\$ near3 (data adj packet))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/29 11:36
S58	798	S57 and (destination near3 address)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/29 11:37
S59	9	S57 and (compress\$3 near3 destination near3 address)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/29 11:37

S60	0	S59 and (@ad<"20020807" or @rlad<"20020807")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/29 11:38
S62	341	S58 and (@ad<"20020807" or @rlad<"20020807")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/29 11:39
S63	10	S62 and (compar\$3 near3 rout \$3 near3 table)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/29 11:40
S64	2	S63 and compress\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/29 12:29
S65	0	S62 and (compress\$3 near3 destination near3 address)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/29 12:30
S66	0	S62 and (compress\$3 near3 address near3 identifier)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/29 12:31
S67	3	S62 and (compress\$3 near3 address)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/29 12:31
S68	5	(compress\$3 near3 destination near3 address near3 identifier)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/29 12:36
S69	1	S68 and (@ad<"20020807" or @rlad<"20020807")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/29 12:36
S70	0	(compress\$3 near3 destination near3 packet) same (compar\$3 near3 table)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/29 12:41
S71	4	(compress\$3 near3 destination near3 packet) and (compar\$3 near3 table)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/29 12:41

S72	4	S71 and (@ad<"20020807" or @rlad<"20020807")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/29 12:41
S73	755	(compress\$3 near3 packet) and (packet near3 destination) and compar\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/29 12:50
S74	516	S73 and (@ad<"20020807" or @rlad<"20020807")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/29 12:50
S75	120	S74 and "709"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/29 12:50
S76	8	S74 and "709"/245.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/29 12:51
S77	3	((compress\$3 near3 packet) and (packet near3 destination) and compar\$3). ab.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/29 14:10
S78	3	S77 and (@ad<"20020807" or @rlad<"20020807")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/29 14:11
S79	170	(compress\$3 near3 destination near3 address)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/29 14:37
S80	131	S79 and (table or database or map\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/29 14:37
S81	44	S79 and (rout\$3 near5 (table or database or map\$3))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/29 14:38
S82	32	S81 and (@ad<"20020807" or @rlad<"20020807")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/29 14:38

S83	13	S79 same (rout\$3 near5 (table or database or map \$3))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/29 14:38
S84	7	S83 and (@ad<"20020807" or @rlad<"20020807")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/29 14:39
S85	23	(compress\$3 near3 forward\$3 near3 address)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/29 16:03
S86	10	S85 and (@ad<"20020807" or @rlad<"20020807")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/29 16:03
S87	15	adjust\$3 near3 parameter near3 compress\$3 near3 algorithm	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/30 17:26
S88	150593	"11" and (@ad<"20020807" or @rlad<"20020807")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/30 17:27
S90	5	S87 and (@ad<"20020807" or @rlad<"20020807")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/30 17:27
S91	2	"6026198".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/31 10:58
S92	0	jagnnathan.in.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/31 11:24
S93	628	jagannathan.in.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/31 11:24
S94	2914	nie.in.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/31 11:24

S95	68	lin.in. and (jinan)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/31 11:25
S96	3587	S93 or S94 or S95	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/31 11:25
S97	5	S93 and S94 and S95	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/31 11:25
S98	321	S96 and compress\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/31 11:26
S99	40	S98 and algorithm	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/31 11:26
S100	19	S99 and (@ad<"20020807" or @rlad<"20020807")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/31 11:27

3/ 2/ 2009 12:30:48 PM

C:\Documents and Settings\staha\My Documents\EAST\Workspaces\10524311.wsp